

To: Distributers
 Attn: To Whom It May Concern
 Date: June 2023
 Dear All,

Information on addition of vacuum pad rubber (black) material symbol marking/engraving

We would like to express our sincere gratitude for your continued patronage.

We would like to inform you that we will add material symbol markings or engravings to the main body of the pad rubber for the black color, which is difficult to identify due to the many materials of the same color, for our vacuum pads.

We would like to thank our customers for your understanding.






1. Subject model

Products that use vacuum pads, pad rubber, and pad rubber made of the following materials [Material] SE: Conductive silicone, NE: Conductive NBR (low resistance type), HN: HNBR, EP: EPDM

*N: Nitrile, NH: Oil-resistant NBR do not have material identification markings or engravings.
 *E: Conductive butadiene (low resistance type) is scheduled to be discontinued, so there is no addition.

Vacuum Pad	Pad rubber	Model example: VP6LSE, VP8RNE-ER-M4
Vacuum Pad, Pad Holder set		Model example: VPB20WHN-6J, VP AE6X20EEP-4J
Vacuum cylinder		Model example: VSPE40-10LNE-6J
Air Pincette		Model example: VTB-W-6RSE

2. Changes Pad rubber appearance change (addition of material symbol marking or engraving)

Position of symbol marking or engraving		
Side	End face	
e.g:VP1REP 	e.g:VP20RNE 	e.g: VP100REP 
e.g: VP4RSE 	e.g:VP8x30EHN 	
Standard (1~4mm) , Small, bellows(4mm)	Standard (6~200mm) 、 Deep、 Soft、 Soft bellows、 Skid-proof、 Bellows (6~100mm) 、 Multi-bellows、 Thin、 Flat、 Oval、 Pad with mechanical release function	

※*There is no change in specifications or prices.

3. Effective date It will be changed sequentially from the pad rubber (parts) received around October 2023.

*Owned parts and products are not covered (no marking or engraving).

Please make inquiries to following sales office.





























Overseas Sales Department

TEL : +81 -(0)265 76 7751 FAX :+81 -(0)265 76 3305

E-mail: intl@pisco.co.jp

URL: <https://www.pisco.co.jp/en/>

Attachment: Marking/Engraving Position

Pad shape	Standard[R]		Deep [A]	Small [RM]	Soft [L]	Soft bellow [LB]	Skid-proof [K]
	1~4mm	6~200mm					
Marking/engraving position 	Side  	End face  	End face  	End face  	End face  	End face  	End face  
Pad shape	Bellows[B]		Multi-bellows [W]	Thin [P]	Flat [F]	Oval [E]	Pad with mechanical release function
	4mm	6~100mm					
Marking/engraving position 	Side  	End face  	End face  	End face  	End face  	End face  	End face 